

PERFORMANCES HYDRAULIQUES TTI

ENROULEUR : STRUCTURE 2061 DIAMETRE : \varnothing 135 LONGUEUR : 600 M							REEL MACHINE : STRUCTURE 2061 DIAMETER : \varnothing 135 LENGTH : 600 M						
ENROULEUR REEL MACHINE		CANON SR 150 GUN SR 150											
pression	débit	p. canon	buse	portée	esp.	surface	DOSE EN mm				/ DOSE IN mm		
pressure	flow	p. gun	nozzle	distance	spacing	area	<i>VITESSE EN m/h</i>				<i>WINDING SPEED IN m/h</i>		
bar	m ³ /h	bar	mm	m	m	has	15	20	25	30	40	50	60
5.7 /6.1	40.4	4	24	45.5	72	4.6	37	28	22	19	14		
6.3 /6.8	42.9	4.5	24	47.5	72	4.6	40	30	24	20	15		
6.9 /7.4	45.2	5	24	49	78	5.0	39	29	23	19	14	12	
7.5 /8.0	47.4	5.5	24	50.5	78	5.0	41	30	24	20	15	12	10
6.7 /7.2	51.1	4.5	26	49.5	78	5.0	44	33	26	22	16	13	11
7.4 /7.9	53.9	5	26	51.5	78	5.0	46	35	28	23	17	14	12
8.0 /8.5	56.6	5.5	26	53	84	5.4	45	34	27	22	17	13	11
7.3 /7.8	61	4.5	28	52.5	84	5.4	48	36	29	24	18	15	12
8.0 /8.5	64.4	5	28	54	84	5.4	51	38	31	26	19	15	13
8.7 /9.2	67.6	5.5	28	55.5	84	5.4	54	40	32	27	20	16	13
8.0 /8.5	71.9	4.5	30	55	84	5.4	57	43	34	29	21	17	14
8.7 /9.3	75.8	5	30	56.5	90	5.8	56	42	34	28	21	17	14
9.5 /10.1	79.5	5.5	30	58.5	90	5.8	59	44	35	29	22	18	15
8.8 /9.4	83.7	4.5	32	57.5	90	5.8	62	47	37	31	23	19	16
9.7 /10.2	88.2	5	32	59	90	5.8	65	49	39	33	25	20	16
TEMPS D'ENROULEMENT COMPLET EN HEURE TIME FOR COMPLETE WINDING IN HOUR							40.0	30.0	24.0	20.0	15.0	12.0	10.0